


# **SLIPSHEETS**

#### **SIGNODE NETHERLANDS B.V.**



# **SLIPSHEETS**



Slipsheets are being used to replace pallets during transport. With our slipsheets companies can save space, for example in a container, so more volume can be loaded.

Slipsheets can be supplied in 3 different qualities:

- Paper slipsheets
- Ecoload® slipsheets
- Plastic slipsheets





## **SLIPSHEETS**



What do you need to process slipsheets?

# Rollerforks

# Push-Pull







# **SLIPSHEETS vs PALLETS**:

- Using slipsheets instead of pallets gives you for 12-15% more volume in material handling containers.
- Slipsheets do not require maintenance and can easily be replaced at low costs.
- Slipsheets reduce significantly material handling costs.
- Slipsheets weigh 20 times less than pallets.
- Slipsheets can be customized to fit any size load.
- Slipsheets eliminate the need for pallet exchange.
- Slipsheets are reusable and reliable.
- Slipsheets are recyclable.
- Slipsheets are cost-effective.
- > No need for ISPM 15/ Heat treated pallets.





# **SLIPSHEETS vs PALLETS:**


- ✓ Slipsheets are moisture resistant.
- ✓ Slipsheets are reusable and safe.
- ✓ Slipsheets have a higher tensile strength (pull resistance).
- ✓ Slipsheets minimize occupied warehouse space.





### **PAPER SLIPSHEETS**







### **PAPER SLIPSHEETS**









# **Technical specs**

SPECIFICATIONS	PAPER SLIPSHEET
Thickness	0,7 mm - 1,8 mm
Width	450 mm - 1270 mm max.
Length	650 mm - 1600 mm max.
Tab	60 / 76/ 100 mm
Composition	Multiple layers Kraft-/Testliner
Colour	Brown / grey





© 2019 Signode Industrial Group LLC

#### **ECOLOAD® SLIPSHEETS**







### **ECOLOAD® SLIPSHEETS**











# **Technical specs**

SPECIFICATIONS	ECOLOAD® SLIPSHEET
Thickness	1,5 mm / 2 mm / 3 mm
Width	1200 mm max.
Length	2500 mm max.
Tab	50 mm
Composition	Polyethylene and cellulose
Colour	Brown / grey





### **PLASTIC SLIPSHEETS**







### **PLASTIC SLIPSHEETS**









# **Technical specs**

SPECIFICATIONS	PLASTIC SLIPSHEET
Thickness	0,51 mm / 0,63 mm
Width	1475 mm max.
Length	1475 mm max.
Tab	75 mm
Composition	Polyethylene
Colour	Black





© 2019 Signode Industrial Group LLC

### **APPLICATIONS**





© 2019 Signode Industrial Group LLC

### **APPLICATIONS**





SIGNODE © 2019 Signode Industrial Group LLC

### **APPLICATIONS**








# **ADDITIONAL TRANSPORT PACKAGING**



Slipsheets are part of our complete range of transport packaging.

As your reliable partner we also offer the following products :

#### Dunnage bags PPW



TurboFlow: Gorilla – Tiger, Striker Square Bags

#### Corded polyester strapping



Hotmelt, composite, woven strap, bale press strapping and lashing



Litec® alu, Litec® kraft Angleboard® eco andTchipgard®

#### Desiccants



Hygro-Bag, Dri-Pack, Silica gel Humidity indicators



### **ADDITIONAL TRANSPORT PACKAGING**



Safety sheet



#### Void filler



#### Jumbo corner



#### Anti skid rubber





### **ADDITIONAL TRANSPORT PACKAGING**





#### Quicklash



#### C-AS with hangstrap



#### Reddi-Crate®







For any further questions, remarks or quotations, please do not hesitate to contact us at:

#### **Signode Netherlands B.V.**

Hallenweg 3 5683 CT Best P.O. Box 279 5680 AG Best The Netherlands

Tel.:+31 499 331950 Fax:+31 499 399701

www.signode.com NL\_sales@signode.nl







