

Smart Lifting Solutions

Optimized for your business



TAWI

Table of contents

| | |
|---|----|
| HOW WE MAKE ERGONOMICS BECOME ECONOMICS | 4 |
| COMPLETE RANGE OF LIFTING SYSTEMS | 6 |
| SPEED UP MANUAL HANDLING OF GOODS WITH VACUUM | 8 |
| TAWI MULTIFUNCTIONAL LIFTER | 10 |
| TAWI HIGH FREQUENCY LIFTER | 12 |
| TAWI PANEL LIFTER | 14 |
| EFFICIENT WAREHOUSE LOGISTICS WITH MOBILE ORDER PICKING | 16 |
| TAWI MOBILE HIGH FREQUENCY LIFTER | 18 |
| TAWI MOBILE ORDER PICKER | 20 |
| TAWI EASY REACH TOOL | 23 |
| TAWI TELESCOPIC MOUNTED UNLOADER | 24 |
| CUSTOMIZABLE LIFTING TROLLEYS | 26 |
| TAWI LIFTING TROLLEYS | 28 |
| TAWI LIGHTWEIGHT TROLLEY | 33 |
| STABLE PRECISION LIFTING WITH HOISTS AND GRIPPING TOOLS | 34 |
| A RELIABLE FOUNDATION FOR EFFICIENT LIFTING | 36 |
| TAWI OVERHEAD CRANE SYSTEMS & JIB CRANES | 38 |
| RELIABLE AND SAFE MATERIAL HANDLING IN SENSITIVE ENVIRONMENTS | 40 |
| TAWI SOLUTIONS FOR SENSITIVE ENVIRONMENTS | 42 |





Swedish inventor since 1923

In Kungsbacka, a small town on the west coast of Sweden, TAWI is home to a dedicated staff performing everything from product development and design to final production. TAWI enables businesses to move from manual handling to smart lifting operations in production, logistics and distribution where manual handling is part of daily operations.

TAWI is there for businesses that wants to improve the working conditions for its employees and at the same time increase productivity and workforce flexibility. In 2020, TAWI was acquired by Piab Group, strengthening our leading position in the semi-automated lifting market.

How we make ergonomics become economics

Move from two-man lifting to one-person lifting!

Avoid unnecessary downtime with a flexible and healthy workforce. Higher productivity, health & safety and greater workforce flexibility equals a cost effective and ergonomic work environment.

Save money with the **TAWI equation**.

Customer case: How did Rockwool achieve successful ROI?

Time saving effects

Improved employee health and satisfaction

Making ergonomic lifting a natural part of the production flow

At their production site in Belgium, Rockwool have invested in several lifting solutions from TAWI where vacuum lifters and mobile trolleys are used daily as a natural part of the production flow. Productivity has increased as the workers are able to maintain their work speed throughout the day while handling 7200 kg of boxes, without getting tired.



Daily workload per employee:
Weight of boxes: 25 kg
Boxes per pallet: 72 pcs
 $25 \times 72 = 1800$ kg per pallet
X 4 pallets/shift = 7200 kg/shift

“The investment in TAWI lifting equipment pays off quickly due to the obvious health benefits for the employees”

Danny Flass, Production site supervisor,
Rockwool Belgium



The TAWI equation

Higher productivity

- Move from two-man lifting to one-person lifting!
- Lift more and with duration, with less effort
- Maintain productivity all day
- Minimize downtime



Health & safety

- Relieve employees from strenuous lifting and help them stay healthy and safe
- Minimize the risk of dropping or damaging goods
- Keep your employees alert and efficient throughout the day, managing demanding work for long hours and still have energy for more



Workforce flexibility

- Create a flexible workplace where employees can move between workstations to avoid unnecessary downtime and ensure continuous productivity
- Big and strong or small and slender. It doesn't matter, anyone can lift
- Streamline your operations by giving everyone the power to lift



Transform your business with TAWI



Today, most industries place more attention on employee health and safety. For decades, we have seen our TAWI lifting solutions transform workplaces around the world.

Our solutions are the first step from a fully manual handling position onto the journey of automation - a quick and cost efficient step.

Complete range of lifting systems

TAWI lifting equipment offers a wide range of solutions to meet your needs, including stationary & mobile vacuum lifters, lifting trolleys, hoists, crane systems and jib cranes. We offer stainless steel lifters and systems approved for use in cleanroom and ATEX areas.

Experience the benefits of using one complete supplier with focus on the best solution for your business rather than a specific product.

Our ergonomic lifters handles everything from boxes and sacks, to cheese and windshields. We can turn, tilt and rotate heavy barrels, large panels and much more.



Navigate our assortment




Vacuum lifters offer sustainable, safe and efficient handling of most types of goods up to 270kg.



Mobile vacuum lifters enable fast and efficient order picking and material handling. Ideal for high-speed order picking and warehouse lifting operations.



Lifting trolleys offer easy and ergonomic lifting, moving and tilting of goods such as rolls and drums, with full flexibility and mobility.



Crane systems & jib cranes are the foundation for efficient lifting, customized and integrated to your workplace.



Hoists & gripping tools let you lift loads with optimal precision and accuracy. Stable and user-friendly.

“TAWI has helped us not just with standard lifting equipment, but with customized solutions that have been adjusted to our specific needs”


Björn Skoglund, production leader,
LG Collection, Sweden




Customized solutions for various industries



Food & Beverage



Logistics



Wood, steel & glass




Pharma



Chemical



Airports & ports




Automotive

We offer lifting solutions used in manufacturing plants - including food, pharma, wood, automotive and chemical - as well as logistic operations at distribution centers, airports, retail stores and more.

Speed up manual handling of goods with vacuum

TAWI vacuum lifters are extremely versatile, handling everything from simple boxes to blocks of meat or complicated car components, up to 270kg.


What do you need to lift?



Vacuum lifters are robust and reliable tools that make lifting easy, for everyone. TAWI lifters are always designed with the user in focus, often customized for specific customer needs. The vacuum lifters are very user-friendly and anyone will learn how to use them within minutes.

Vacuum technology is ideal for secure lifting without risk of damaging the goods or the person lifting them. Grip the load with suction cups designed for the goods you need to lift, regardless if you are lifting sacks, boxes, sheets or something else.

Allow anyone to lift up to 270 kilos without effort. Giving everyone the ability to lift increases workforce flexibility, making it easy for employees to switch between work stations.





TAWI Multifunctional Lifter

What do you need to lift? Choose between 12 models for lifting sacks, boxes, sheets, panels, crates, drums and much more, up to 270 kg.



Ergonomic



User friendly

TAWI Multifunctional lifter is a safe and reliable tool commonly used in manufacturing and mechanical processing, warehouses and distribution terminals.

Anyone can handle goods in all sizes, up to 270 kg, with practically no effort at all. No heavy lifting and no uncomfortable strain on the body means no more aching shoulders, backs, and knees.

Extremely smooth and quick operation is accomplished by using the same handle to lift, lower and release the load, and by using the vacuum to hold and lift the load.

Stainless steel models, ideal for industries with sanitary requirements, are available on request. The lift system can also be adapted for ATEX-regulated facilities.

We recommend mounting your TAWI Multifunctional lifter in our own range of crane systems. The jib arm or bridge crane suspends the lift tube and is available in different lengths and capacities.

Key features

- **Lift up to 270 kg** without physical effort
- **Lifts most types** of loads, from boxes and sacks to laminate boards and cheese blocks
- **Achieve drastic reduction** in heavy, repetitive lifting
- **Easy to use**, anyone will learn how to use it within minutes
- **High customization** abilities
- **Stainless steel** models and ATEX adapted systems available on request



Lifting, moving and placing large wooden sheets with our multifunctional lifter is safe and reliable.

Tilt or turn sheets up to 360°.



Lifting above shoulder height is effortless and easy with our vacuum lifter.

Smart functions



The handle can be tall or short, fixed or flexible, anything you need to reach your goods in an ergonomic way.



The direct driven pump minimizes friction and unnecessary wear, ensuring continuous operations for your vacuum lifters.

Standard models

| Model | VM30 | VM40 | VM50 | VM60 | VM80 | VM100 | VM120 | VM180 | VM270 |
|---------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Lifting capacity (kg/lb) | 30/66 | 40/88 | 50/110 | 60/132 | 80/176 | 100/220 | 120/265 | 180/397 | 270/595 |
| Max length lift tube (mm) | 2600 | 2600 | 2600 | 4000 | 4000 | 2500 | 4000 | 2500 | 2500 |
| Lift tube ø (mm) | 100 | 120 | 140 | 160 | 180 | 200 | 230 | 250 | 300 |
| Stroke (mm) | 1800/2600 | 1800/2600 | 1800/2600 | 1800/2600 | 1800/2600 | 1700/2400 | 1700/2400 | 1500/1800 | 1500/1800 |
| Lifting speed (m/s) | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 | 0-1 |
| Pump | Medium | Medium | Medium | Large | Large | Large | Large | Large | Large |

*VM30-VM120 are available in stainless steel, ideal for industries with high sanitary requirements.
VM180 and VM270 are available in stainless steel with standard hose.

TAWI offers a wide selection of suction feet and ergonomic handles, allowing you to adapt the lifter to your specific needs.

TAWI High Frequency Lifter

High-speed lifting has never been easier. Grip and lift boxes, baggage and other goods quickly and safely with just one hand.



Ergonomic



User friendly



Reduce load on body by 80%

TAWI High frequency lifter is an ergonomic and flexible lifting solution to speed up manual handling for loads up to 65 kg.

The user friendly design and functionality increases productivity and reduces the risk of injury.

The lifter is versatile and can handle a great variety of goods of different size, shape and weight.

Lifting carton boxes and handling baggage are the most common application areas for the high frequency lifter, but other industries, such as food industry clients, use the lifter for handling various loads such as blocks of cheese or meat, milk cartons or wine boxes.



“The lifter is a real benefit for everyone. The solution reduces the strain on the body, is easy to use and works with any bag”

Sam Streak

Baggage handler/team leader, ASIG at Heathrow Airport, England

Key features

- **High-frequency** lifting
- **Lift up to 65 kg** without physical effort
- **One-handed grip** with user friendly joystick handle
- **Customized suction feet** to suit your goods
- **Grip from the top** or from the side
- **Rotate loads** 360 degrees



Handling large and heavy boxes can easily be done by one single person with TAWI vacuum lifters.



Heavy baggage handling is easy and effortless with our high frequency vacuum lifter. The baggage can be rotated 360 degrees before it is placed and the angle adapter allows the operator to angle the suction foot at 90 degrees to pick up bags from the side.



We recommend mounting your TAWI High frequency lifter in our own range of crane systems. The jib arm or bridge crane suspends the lift tube and is available in different lengths and capacities.



One-handed grip with user friendly joystick handle.

Standard models

| Model | TP35 | TP45 | TP55 | TP65 |
|---------------------------|-------|-------|--------|--------|
| Lifting capacity (kg/lbs) | 35/77 | 45/99 | 55/121 | 65/143 |
| Max length lift tube (mm) | 3000 | 3000 | 3000 | 3000 |
| Lift tube ø (mm) | 80 | 100 | 120 | 140 |
| Stroke vacuum lifter (mm) | 1840 | 1720 | 1720 | 1720 |
| Lifting speed (m/s) | 0-1 | 0-1 | 0-1 | 0-1 |

Good ergonomics is an effective way of making your business more productive and profitable. TAWI High frequency lifter makes lifting comfortable, safe, and very time-efficient.

TAWI Panel Lifter

Lift, tilt and rotate large panels and sheets quickly and efficiently with the ergonomic TAWI Panel Lifter.



Ergonomic



User friendly


The TAWI Panel Lifter is specifically designed for the wood and construction industries, allowing one person to easily handle heavy and bulky loads with precision.

Its ergonomic rotative handle ensures optimal control of the lifting speed and maintains the load at a constant height. While also allowing for precise operations in the wood industry, such as panel lifting to saws at awkward heights and panel tilting for efficient storage.

This innovative solution is the perfect choice for anyone looking to make handling bulky and heavy materials easier and more efficient.

Key features

- **Lift up to 180 kg** without any physical effort
- **Lifts most types** of loads from the wood and construction industries: sheets, beams, windows, doors, concrete...
- **Increase productivity** by providing autonomy to operators while handling heavy or bulky loads
- **Easy to use**, anyone will learn how to use it within minutes
- **High customization** abilities



The hoists can be easily combined with other TAWI lifting solutions. Here the wire hoist is used to lift heavy film rolls from a pallet, tilt them and then put them on a portable trolley. The trolley is then used for transporting and mounting the rolls into packaging machines.

Technical specifications

| Model | PL180 2000mm | PL180 2400mm |
|--------------------------|--------------|--------------|
| Lifting capacity (kg/lb) | 180/397 | 180/397 |
| Lifting speed (m/s) | 0,27 | 0,27 |
| Lifting height (mm) | 2000 | 2400 |
| Hose diameter (mm) | Ø250 | Ø250 |
| Suction cups | Customisable | Customisable |


Secure and precise panel handling

The TAWI Panel Lifter is the perfect fit for most operating processes in the wood and construction industries. It is capable of tilting wood sheets and panels up to 80°. It has been equipped with an extended arm for easy and ergonomic gripping of larger objects.


Using its two-handed handle, it has never been easier to lift and tilt heavy, bulky panels, beams, doors or concrete. In addition, the rotating handle allows lifting speed to be precisely controlled, and the load height is maintained at a constant level. This will ensure an ergonomic working position at all times. It also has an extra secure drop option that prevents the operator from accidentally dropping the load and keeps it balanced when not in use.

Our customized suction cups for porous surfaces enable reliable and safe handling of panels, sheets, concrete, beams, etc., in the wood and construction industries. By adapting the suction cups to the type of material, the vacuum lifter will always be perfectly suited to your lifting needs.


The TAWI Panel Lifter can also be tailored to accommodate all sizes, materials, and levels of porosity, making the Panel Lifter suitable for any application.



The ergonomic rotatable handle makes it easy to operate the device. It has never been easier to lift and tilt heavy, bulky panels using its two-handed handle.




The number of suction cups is adapted to your load so that the tool is always ideal for your lifting needs. The two-handed release function ensures a safe and easy grip and release of load.



The TAWI Panel Lifter is ideal for handling sheets of wood. Add a tilting function and you can easily tilt loads of up to 80 degrees.

Efficient warehouse logistics with mobile order picking

TAWI mobile vacuum lifters are the ideal solution when you need to speed up order picking, container unloading, or any other logistic process. Our mobile solutions enables one person to do what has often been a two-man job.



Pick orders fast and effortless with an innovative mobile vacuum lifter. TAWI Mobile Order Picker is a unique solution for efficient order picking and material handling. Simply pick up the mobile vacuum lifter unit with any kind of forklift or pallet jack and go wherever you need to lift.

Quickly unload goods from container or trailer, with minimal physical effort. TAWI Telescopic Mounted Unloader increases productivity and reduces physical strain on workers. The lifter allows you to handle a great variety of products and parcels inside a container or trailer.





TAWI Mobile High Frequency Lifter

The TAWI Mobile High Frequency Lifter is a versatile lifting solution that is easy to use along the logistics processes, from container and truck unloading, to order picking, or conveyer to pallet.



Ergonomic



User friendly

Based on our most efficient lifters, the High Frequency Lifter, we developed the Mobile High Frequency Lifter.

Quickly grip and lift boxes, sacks, baggage or other packaged goods up to 50 kg without any effort. Featuring a comfortable handle for one-hand use, you can swiftly lift and move goods with high speed.

Requiring only an external power supply for implementation, it is perfect for logistics centres and other operations where speed is of the utmost importance.

With a reach ranging from 2.1m to 2.6m in height, it is perfect for use in areas with limited headroom such as unloading containers, picking orders, and conveying to pallets. The arm of the Mobile High Frequency Lifter comes in both carbon fibre and steel, giving you the flexibility to choose the arm that best suits your application.

Key features

- **Versatile** and mobile
- **No unique** installation required
- **Plug-and-play** solution
- **Up to 50 kg** lifting capacity
- **Eliminate** all lifting strains
- **Customisable** to meet the needs of different types of loads




Easy to use along the logistics process from container and truck unloading, order picking, or conveyer to pallet.




The mobile high frequency lifter can reduce two-person lifts to one and be split across contracts to reduce labour.

Smart functions



Low-built articulated arm in either steel or carbon with a height reach of 2.1m to 2.6m



A mobile, versatile plug&play solution and a compact design for maximum flexibility.

Technical specifications

| Product model | MHL40 | MHL50 |
|--------------------------|---|---|
| Max load* | 40kg | 50kg |
| Arm type | Carbon / Steel | Carbon / Steel |
| Total weight | 695kg | 695kg |
| Sound level** | 55dBA | 55dBA |
| Power | 2,2kW | 2,6kW |
| Frequency | 50Hz | 60Hz |
| Voltage (3-Phase N + PE) | 200V / 220V / 230V / 265V / 400V / 460V | 200V / 220V / 230V / 265V / 400V / 460V |
| Lifting speed | 0-1m/s | 0-1m/s |
| Enviroment | Normal indoor industrial enviroment | Normal indoor industrial enviroment |
| Labeling | CE and UKCA*** | CE and UKCA*** |

TAWI Mobile Order Picker

This mobile vacuum lifter enables one person to do what has often been a two-man job. The order picker enables you to move quickly from pallet rack to pallet rack, picking goods onto pallet with minimal physical effort.



Ergonomic



User friendly

The mobile order picker is a mobile vacuum lift unit compatible with any LLOP.

TAWI Mobile order picker offers a unique solution for order-picking from pallet racks, shelves or conveyors. Simply pick up the lifting unit with any kind of pallet jack or truck and drive wherever you need to go.

The order picker is easily adjusted in height to match the height of your pallet racks.

With a wide selection of suction feet, you can easily find the tool needed to lift your goods. Need to lift more than one type of load? Add a quick coupling and easily switch between tools for various types of loads.

Key features

- **Mobile vacuum lifter**
- **Easily attached to** any forklift
- **Quick start-up**
- **Stand-alone unit**
- **Integrated pump/battery**
- **Multiple tools for** lifting anything from boxes and sacks to laminate boards
- **Lift up to 80 kg** without physical effort



Achieve successful warehouse order fulfilment with our mobile order picker.

The load can be rotated 360 degrees before it is placed on the pallet, facilitating efficient utilization of the pallet space.



Support legs are automatically activated when the pump is started.

Smart functions



Integrated light panel facilitates work in dark spaces.



Battery and vacuum pump are integrated in the unit, protected by a robust cover.

Quick and easy to use

- 1 **Attach TAWI Mobile** order picker to any pallet jack or truck.
- 2 **Drive where you** need to go.
- 3 **Park the unit** and activate the pump with the push of a button. Support legs are automatically lowered.
- 4 **Start loading/unloading** your goods.



Pick and lift just about anything



The lifter easily handles a wide variety of loads including parcels, sacks, boards, drums and more.



A vacuum lifter on an articulating arm enables you to reach far into pallet racks.



Lift up to 80 kg without physical effort. The lifter saves the operator from lifting in uncomfortable positions.

Technical specifications

| Model | MOP VM40 | MOP VM50 | MOP VM60 | MOP VM80 |
|------------------------------|--|----------|----------|----------|
| Lifting capacity (kg/lbs) | 40/88 | 50/110 | 60/132 | 80/176 |
| Max length lift tube (mm) | 1750 | 1750 | 1750 | 1700 |
| Lift tube ø (mm) | 120 | 140 | 160 | 180 |
| Stroke vacuum lifter (mm) | 1340 | 1320 | 1320 | 1290 |
| Stroke tower (mm) | 500 | 500 | 500 | 500 |
| Noise level, idle (dB) | 76 | 76 | 76 | 76 |
| Noise level, operation (dB) | 75 | 75 | 78 | 78 |
| Max lifting height* (mm) | 1940 | 1920 | 1900 | 1890 |
| with lowered tower (mm) | 1440 | 1420 | 1400 | 1390 |
| Battery charging procedure | Plug in electrical outlet (100-240V. For 100V use 3-phase charger. For 230V use single-phase charger. Grounded, 50-60Hz). Recommended 8 hours continuous charge. | | | |
| Battery pack replacement | Prolonged operational time is achieved by switching the battery pack. This procedure takes approx. 10 minutes. | | | |
| External power source | The unit can be connected to a 24V external power source. | | | |
| Up and down motions of tower | 52-58 mm/s | | | |
| Weight of unit | 630 kg | | | |

*From bottom of suction head (excl. suction foot)

TAWI Easy Reach Tool

An Easy Reach tool on your TAWI Mobile Order Picker will enable optimal efficiency in order picking and storage utilization.

Using our mobile order picker with the Easy Reach tool allows the operator to easily reach into pallet racks, picking goods from the back end of a pallet without moving a muscle. This saves the operator from lifting in uncomfortable positions.



Key features

- **High speed order** picking
- **Reach all the way** into pallet racks
- **Easily pick goods** stacked closely to the shelf above
- **Lift up to 50 kg** without physical effort
- **No more bending** into pallets and lifting in uncomfortable positions

With the **Easy** Reach tool, you can easily pick goods stacked closely to the shelf above, allowing optimal utilization of storage space. No need to store bulky, heavy goods outside pallet racks anymore.



Thanks to the weight distribution of the Easy Reach tool, the operator can stand comfortably in the aisle while lifting a box from the back end of a pallet in the rack.

The load can be rotated 360 degrees before it is placed on the pallet, facilitating efficient utilization of the pallet space.

TAWI Telescopic Mounted Unloader

Unload containers and trailers fast and effortless with an adjustable vacuum lifter, conveniently mounted on the conveyor.

TAWI Telescopic Mounted Unloader enables one person to quickly unload goods from container or trailer. Goods are easily lifted onto the conveyor with a user-friendly handheld vacuum unit.

You can lift up to 40kg from any side, turn it 360° and release as required. The lifter is assembled onto a telescopic conveyor, either factory fitted or retro fitted.

The system maximises working height by sensing the headroom available and adjusting itself automatically, making it the ideal solution for working in confined spaces with limited headroom.

Reduces the risk for repetitive strain injuries and makes the work a lot easier compared to manual lifting.

“Our prime consideration has been a question of ergonomics rather than speed. Having said that we are using fewer people to unload a container so there is definitely a financial benefit too.”

Keith McLean, Warehouse Manager, Draper Tools



Ergonomic unloading of containers and trailers



Rapid loading and unloading of loose loaded goods in trailers and containers. Handle a great variety of goods in terms of size, shape and weight.



Designed to solve ergonomic and productivity issues when loading or unloading trailers or containers. Can be fully integrated with telescopic conveyors.



Cutting edge vacuum technology enables an increase of productivity when unloading or loading loose loaded containers or trailers.



Technical specifications

| Model | TMU40 |
|---------------------------|-------|
| Lifting capacity* (kg/lb) | 40/88 |
| Max length lift tube (mm) | 2500 |
| Lift tube ø (mm) | 100 |
| Stroke** (mm) | 1630 |
| Lifting speed (m/s) | 0-1 |

*Based on fully air tight load


**Based on a 2,5m lifting tube

Key features

- **Rapid loading and unloading** of loose loaded goods in trailers and containers
- **Adjustable vacuum lifter**, conveniently mounted on the conveyor
- **Lift up to 40 kg** from any side, turn it 360° and release as required
- **Automatically adjusts** to fit inside containers and trailers of different size and shape

Customizable lifting trolleys


The robust and user-friendly lifting trolleys are easily adapted in height, width and strength to meet your specific requirements. Pick up goods in one place, move them effortlessly, and lift them in place where you need them.



Lifting and transporting reels



Handling and emptying drums



Lifting and tilting crates

TAWI Lifting Trolleys are ideal for moving goods to and from a production line, or simply lifting without being confined to just one work station. A variety of tools make these portable devices suitable for lifting different types of goods, including reels, drums and crates.

We know the importance of flexibility and mobility and that is why our lifting trolleys do not only lift but also rotate, turn and tilt goods. Reels are tilted from vertical to horizontal position before they are conveniently mounted on a machine axis. Drums and crates are easily tilted to empty their contents with no physical effort for the operator.



TAWI Lifting Trolleys

Lift, move, tilt and rotate goods up to 250 kg, with optimal precision and minimal effort.



Ergonomic



User friendly

We know the importance of flexibility and mobility and that is why our portable lifting devices do not only lift but also rotate, turn and tilt goods.

Reels are tilted from vertical to horizontal position before they are conveniently mounted on a machine axis. Drums and crates are easily tilted to empty their contents with no physical effort for the operator.

The lifters' modular construction allows easy adaptation to suit your specific business needs. We provide a wide selection of tools for ergonomic handling of reels, drums, crates, boxes and more, with lifting capacities ranging between 40-250kg.

Several safety features help ensure safety for both user and load. All models are equipped with a safety mechanism that immediately stops the lifter if the tool hits an object during lowering. This means that the lifter will not tip over, but also ensures that it will not hurt anything that happens to come in the way.

Key features

- **Mobile lifting device**
- **Lift up to 250 kg** without physical effort
- **Wide selection of tools** for various types of loads such as reels, drums, crates and boxes
- **Ability to not** just lift and transport loads, but also rotate, turn & tilt goods
- **Modular construction** allows easy customization
- **Stainless steel** models and ATEX adapted trolleys available on request



The ergonomic design makes the lifting trolleys comfortable and easy to drive, no matter how short or tall you are.



Stainless steel lifters

The range of TAWI Lifting Trolleys include several stainless steel models, often used in food- or pharmaceutical manufacturing where cleanliness is of great importance.



For the most sensitive environments we offer a IP65 certified cleanroom trolley, the CR80, designed to operate in the most demanding work environments and withstand high-pressure cleaning.

Technical specifications

| Model | PRO40 | PRO80 | PRO140 | PRO180 | PRO250 | PRO-100ESE | PRO-200ESE | CR80 | Light60 |
|--|------------------------------|-------------------------------------|--------------------|--------------------|-----------------|-----------------|-----------------|---------------------------|--------------------------|
| Lifting capacity (kg/lb) | 40/88 | 80/176 | 140/309 | 180/397 | 250/551 | 100/220 | 200/441 | 80/176 | 60/132 |
| Stroke (mm) short/ medium/long | -/ 1040/- | 860/ 1400/1950 | 840/ 1390/1940 | 840/ 1390/1940 | -/ 1360/1910 | -/ 1360/1910 | -/ 1360/1910 | 1545 | 1590 |
| Weight of unit (kg) short/medium/long | -/41/- | 46/50/53 | 69/73/78 | 77/81/86 | -/107/113 | -/115/120 | -/152/158 | 46 | 35 |
| Height (mm) short/ medium/long | -/ 1640/- | 1440/ 1990/2540 | 1440/ 1990/2540 | 1440/ 1990/2540 | -/ 1990/2540 | -/ 1990/2540 | -/ 1990/2540 | 1990 | 1980 |
| IP-rating | IP24 | IP24 | IP24 | IP24 | IP24 | IP24 | IP24 | IP65 | - |
| Battery charging | 100-240V, grounded 50-60Hz | | | | | | | | |
| Lifts per charge | 100 x 1m | | | | | | | | |
| Up and down motions | Control panel (one speed) | Hand control (two speed) | | | | | | Joystick (variable speed) | Push buttons |
| Front wheels | Swivelling | Swivelling | Fixed | | | | | Swiveling | |
| Brake system | Separate rear wheel brake | Central brake with directional lock | | | | | | Separate rear wheel brake | Single brake rear wheels |
| Overload protection | Incorporated in circuit load | | | | | | | | |

Ergonomic and easy to use trolleys enable anyone to lift and move heavy loads in a safe way



Ergonomic handle for easy and comfortable operation. The lifter is belt driven which ensures quiet and smooth oil free drive.



User-friendly and ergonomically positioned hand control, easily detached for optimal operation.



On several models, the measures of the wheels make it possible to drive the lifter into a Euro-pallet in three different ways.

Tools & accessories



PLATFORM

Ergonomic handling of various goods. Two surface materials: stainless steel and checker plate.



FOLD UP PLATFORM

Flexible tool with fold up platform and fork tool. Lift boxes and crates with the same tool.



BOOM

Ergonomic reel handling. Lift and transport reels onto shafts and machines without effort.



ROLLER BOOM

Equipped with rollers for effortless loading and unloading of reels. Safety pin for safe transportation.



TUBE FORK

Easy handling of reels from their outer surface.



CRANE ARM WITH HOOK

Handling of various goods. Optimal for reaching into narrow spaces.



FORK FOR SHAFTS

Precise handling of reels on shafts into machine.



COREGRIPPER

Reel handling from the core, Ø76 and Ø152. Rotate from vertical to horizontal position.



LADDER

Optimal for pushing goods from the tool onto a shelf. Can be mounted on both sides of the lifter.



QUICK COUPLING

Makes it possible to easily switch tools on the lifter.



ARTICULATING ADAPTER


Enables easy articulation of tools. Can be mounted between all types of tools.

Customer experiences

At Rockwool in Belgium, the lifting trolley is used daily to transport large metal parts from storage to mounting on machines.

“The investment in TAWI lifting equipment pays off quickly due to the obvious health benefits for the employees”

Danny Flass, Production site supervisor, Rockwool Belgium



“Thanks to the investment in TAWI Lifting Trolleys, we are able to avoid heavy manual handling and minimize the strain on worker’s backs, shoulders and knees”

Lars-Erik Heland, Project Engineer, SCA Hygiene Products AB

Transporting 80 kg rolls effortlessly in food industry packaging



Clarebout, producer of pre-fried and frozen potato products, have invested in their employee’s health and wellbeing.

At their production site in Belgium, employees lift and transport 80 kg film rolls from pallets to packaging machines. The heavy rolls are not easy to lift, tilt and transport in an efficient and ergonomic way, but TAWI lifting solutions have made it possible.

The lifters make it possible for one person to lift and move 80 kg rolls to the packaging machines without putting any harmful strain on the body, The lifting trolleys are used continuously throughout the work shifts, ensuring an efficient and smooth packaging process.

TAWI Lightweight Trolley

A comfortable and cost-efficient solution for handling goods in small spaces. Ideal for use in retail stores, workshops, archives or warehouses.

With a compact and lightweight design, TAWI's lightweight trolley is ideal for handling goods in cramped spaces and narrow aisles. The trolley is just under 60cm wide, allowing you to drive through even the narrowest aisle or passage.



Key features

- **Light weight** and compact design
- **Lift and move** a variety of boxes, crates, and other goods up to 60 kg
- **Great mobility** – easy to use
- **High-speed** elevation
- **Ideal for narrow aisles** in stores, workshops etc.
- **Quick delivery** – delivered in flat package

Goods are placed on the trolley's platform, enabling you to handle a wide variety of goods. The platform is easily positioned on the same height as the shelf, allowing goods to slide over from the platform to the shelf (or the other way around).



The platform moves at 125mm/s (that is really fast!) ensuring that goods can be put on shelves quickly.

Thanks to the compact design the trolley will not get in your way, even in a cluttered workshop or busy commercial kitchen. Workers use the trolley to retrieve goods from shelf and move them to their workstation where they can easily slide them over to a benchtop, or even work with the goods placed on the trolley.


With the wheels locked the trolley will stand still and allow you to safely use the platform as an extra workspace.

Stable precision lifting with hoists and gripping tools


An electric hoist is ideal when you need to lift with stability and control. Our wire hoists are faster than most, and great for precision lifting when you need full control of your load. For heavier lifting and lifting in tough conditions we offer powerful and durable chain hoists.



Precision



Stability



Low maintenance

TAWI Wire Hoist is the preferable choice when you need to lift with speed and precision. The TAWI Chain Hoist is very powerful and durable, the right choice for heavier loads and for lifting in tough conditions.

The electric hoists are easy to install and require little maintenance. High quality and low energy consumption makes the hoist a sustainable choice with low cost of ownership.




A reliable foundation for efficient lifting


A crane system built for your needs, integrated in your workflow, will help ensure efficient lifting and productive processes. TAWI Overhead Bridge Cranes and Jib Cranes give you the freedom to lift and move goods exactly where you need them.



**Ceiling mounted
systems**




**Floor mounted
systems**



Jib cranes

TAWI crane systems offer flexible solutions for mounting lifters so that you can use them wherever you need to. Steel or aluminium profiles can be mounted in the ceiling or on floor pillars, built to match your facilities and meet your business needs.

No matter how your facilities are constructed, we can build an overhead crane system that is ideal for your conditions.





TAWI Overhead Crane Systems & Jib Cranes

TAWI crane systems are adapted for specific customer requirements, securing optimal suspension of lifters and ideal workflow for your business.

TAWI Jib Cranes can be mounted on wall or pillar and portable options are available. If mobility is important, articulating jib arms offer a great range of motion, while portable jibs can be moved around your facilities to be used wherever you need them. When you only need to lift in one place, an over braced jib crane is the strongest and most stable solution.

With a selection of standard jib cranes, and the ability to modify cranes to customer requests, we can provide an optimal solution for your business.

TAWI crane systems offer flexible solutions for mounting lifters so that you can use them wherever you need. Steel or aluminium profiles can be mounted in the ceiling or on floor pillars, built to match your facilities and business needs.

We have solutions for suspending the crane system directly in the ceiling or in roof beams. Our systems offer powerful suspension up to 1 500 kg lifting capacity and up to 8 000 mm between suspension points.

Key features

- **Aluminium or steel** profiles
- **Mounted in** ceiling or on floor pillars
- **Suspended directly** in ceiling or in roof beams
- **Move vacuum lifters** or hoists by manual power or remote control
- **Portable jib cranes** for greater flexibility
- **Customized systems**, easily integrated in your workflow



TAWI crane systems are customized to fit your business and help streamline your operations. The system can be a single girder running along a production line, or a vast system covering an entire logistics unit.



Stable trolleys run smoothly in the profiles, steadily moving your lifter to where you need it.

Customized for your business



Our steel or aluminium profiles can be mounted in the ceiling or on floor pillars, built to match your facilities.



TAWI Jib Cranes can be mounted on wall or pillar and portable options are available.

Full range of systems

By adapting the crane system for your individual business needs, we produce a lifting system that will facilitate lifting, increase productivity and support a healthy work environment.

Our range of crane systems and jib cranes include:

- Ceiling or floor mounted systems
- Single and double girder cranes
- Low built systems for low headroom areas
- Curved systems and telescopic cranes
- Stainless steel systems for easy cleaning
- Jib cranes mounted on pillar or wall
- Portable options



Reliable and safe material handling in sensitive environments


We enable our customers to lift safely even in the most demanding environments. The TAWI range of ATEX and cleanroom lift systems ensure safe and ergonomic lifting in food-, pharma- and chemical manufacturing plants all over the world.



**High sanitation
demands**



**Potentially
hazardous areas**



Health & Safety

Moving and lifting potentially hazardous or flammable chemical products requires equipment that is extremely accurate, reliable, and hygienic. TAWI has you covered.

Handling food and food products requires the highest level of sanitation and quality as well as a secure, yet delicate, touch. Our stainless steel lifters are perfectly suited for those demanding environments.

TAWI stainless steel lifters also provide the ideal lifting equipment for cleanrooms. Specifically designed for the meticulously controlled environments common in pharmaceutical manufacturing.



TAWI solutions for sensitive environments

Achieve maximum safety for both workers and goods with our ergonomic stainless steel lift systems, adaptable for both ATEX zones and cleanroom areas.

 Ergonomic

 User friendly

For sensitive environments where cleanliness is key, stainless steel lifters offer efficient lifting without compromising hygiene requirements.

All TAWI Lifting Trolleys are available in stainless steel, the star in this area is the CR80 model with IP-rating IP65 which can be cleaned with pressure washer. This lifter is commonly used in cleanroom areas in e.g. pharmaceutical manufacturing, but also food industry clients appreciate this easy-to-clean lifter.

Stainless steel vacuum lifters are available in various models lifting up to 270 kg. The lifters are easy to keep clean and can be custom made to meet your specific hygiene requirements.

In hazardous environments where ATEX regulations apply, we offer vacuum systems, cranes and lifting trolleys approved for ATEX use. TAWI ATEX systems are approved for use in ATEX zone 1 and 21, 2 and 22. Contact us and get expert advice for your specific ATEX requirements.

Key features

- **Stainless steel systems**
including vacuum lifters, crane systems and lifting trolleys
- **Washdown, cleanroom adapted** equipment
- **ATEX rated solutions**,
approved for use in ATEX zone 1 and 21, 2 and 22.
- **Safe and reliable** material handling
- **Customized systems** for your requirements
- **Ergonomic lifting up to 270 kg**



TAWI Lifting Trolleys offer a wide selection of tools for handling various goods such as reels, drums, crates, boxes and more.



Customized suction feet for whatever you need to lift.

Increased productivity at Hempel

Hempel is a world leading company in paints and coatings for the industrial, naval, nautical and decoration markets.



Hempel have invested in TAWI ATEX-rated systems for handling paint drums and vacuum lifters to speed up sack handling between pallets.

The lifting solutions have made it possible for the workers to increase productivity without any additional effort.

ATEX rated systems for drum handling at Jotun Paints

Jotun Paints Europe Ltd. uses highly flammable solvents and resins in the manufacture of paint related products.

Jotun currently have TAWI vacuum lifting equipment in various designs and capacities in order to meet the requirements for different plant designs.

“The equipment is easy to use and completely removes the need for the operator to handle the item”

Darren Dawson, Legal Compliance Specialist, Jotun Paints (Europe) Ltd.



Notes

Notes

Notes

Smart lifting

EUROPE

Denmark

Risskov
+45 8617 2266
la.dk.mail@piab.com

France

Ancenis Saint-Géréon
+33 (0)240-96 39 39
la.fr.info@piab.com

Germany

Kaarst
+49 (0)211-20 54 27 – 40
la.de.info@piab.com

Netherlands

Helmond
+31 492-52 37 05
la.nl.info@piab.com

Spain

Barcelona
+34 933-20 59 84
la.es.info@piab.com

Sweden

Täby (Piab Group HQ)
+46 (0)8-630 25 00
info-sweden@piab.com

Kungsbacka (TAWI HQ)

+46 (0)300-18 50 01
la.info@piab.com

United Kingdom

Northampton
+44 (0)1604-59 11 20
la.uk.sales@piab.com

Italy

Volterra (TO)
+39 (0)11 4143521
la.it.info@piab.com

AMERICAS

Brazil

Sao Paulo
+55 (0)11-4492-9050
la.br.info@piab.com

Canada

Richmond Hill (ON)
+1 (0)905-881 16 33
la.ca.info@piab.com

USA

Bolingbrook (IL)
+1 630-655 29 05
la.us.info@piab.com

ASIA

China

Shanghai
+86 21 5237 6545
la.cn.info@piab.com

India

+91 8939151169
info-india@piab.com

AUSTRALIA

Australia

Brisbane
+61 (0)458-45 51 28
la.au.info@piab.com

For the rest of the world, TAWI offers efficient and reliable solutions through its network of local partners. To find the partner closest to you, simply visit tawi.com and contact the partner of your choice.